

# Safety Data Sheet

## Mearlin® Super Brass 9232Z

Revision date : 2015/12/14  
Version: 5.0

Page: 1/10  
(30322669/SDS\_GEN\_US/EN)

### 1. Identification

#### Product identifier used on the label

## Mearlin® Super Brass 9232Z

#### Recommended use of the chemical and restriction on use

Recommended use\*: cosmetic ingredient

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Chemical family: metal oxides  
Synonyms: Not available: Cosmetic use

---

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

No need for classification according to GHS criteria for this product.

#### Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

# Safety Data Sheet

## Mearlin® Super Brass 9232Z

Revision date : 2015/12/14  
Version: 5.0

Page: 2/10  
(30322669/SDS\_GEN\_US/EN)

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

### 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
12001-26-2	49.0 - 61.0%	Mica-group minerals
13463-67-7	37.0 - 45.0%	Titanium dioxide
1309-37-1	2.0 - 5.0%	Iron oxide
18282-10-5	0.0 - 1.0%	Tin oxide (SnO <sub>2</sub> )

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
12001-26-2	49.0 - 61.0%	Mica-group minerals
13463-67-7	37.0 - 45.0%	Titanium dioxide
1309-37-1	2.0 - 5.0%	Iron oxide
18282-10-5	0.0 - 1.0%	Tin oxide (SnO <sub>2</sub> )

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

Remove contaminated clothing.

##### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

##### If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

##### If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Seek medical attention if necessary.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Hazards: No hazard is expected under intended use and appropriate handling.

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

# Safety Data Sheet

## Mearlin® Super Brass 9232Z

Revision date : 2015/12/14  
Version: 5.0

Page: 3/10  
(30322669/SDS\_GEN\_US/EN)

known specific antidote.

---

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:  
dry powder, foam

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
No particular hazards known.

#### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear a self-contained breathing apparatus.

#### Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

If exposed to fire, keep containers cool by spraying with water.

---

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear appropriate respiratory protection. Use personal protective clothing. Ensure adequate ventilation.

#### Environmental precautions

Do not empty into drains.

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

#### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of.  
For large amounts: Pick up with suitable appliance and dispose of.

Spills should be contained and placed in suitable containers for disposal.

---

### 7. Handling and Storage

#### Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.  
Avoid contact with the skin, eyes and clothing.

Avoid dust formation. Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion:

No special precautions necessary.

# Safety Data Sheet

## Mearlin® Super Brass 9232Z

Revision date : 2015/12/14  
Version: 5.0

Page: 4/10  
(30322669/SDS\_GEN\_US/EN)

See MSDS section 5 - Fire fighting measures. Prevent electrostatic charge accumulation.

### Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE)

Further information on storage conditions: Keep in a cool place. Keep container dry.

## 8. Exposure Controls/Personal Protection

### Components with occupational exposure limits

Iron oxide	OSHA PEL	PEL 10 mg/m <sup>3</sup> fumes/smoke ; TWA value 10 mg/m <sup>3</sup> fumes/smoke ;
	ACGIH TLV	TWA value 5 mg/m <sup>3</sup> Respirable fraction ;
Mica-group minerals	OSHA PEL	TWA value 20 millions of particles per cubic foot of air ; TWA value 3 mg/m <sup>3</sup> Respirable dust ; TWA value 20 millions of particles per cubic foot of air ;
	ACGIH TLV	TWA value 3 mg/m <sup>3</sup> Respirable fraction ;
Tin oxide (SnO <sub>2</sub> )	ACGIH TLV	TWA value 2 mg/m <sup>3</sup> (tin (Sn));
Titanium dioxide	OSHA PEL	PEL 15 mg/m <sup>3</sup> Total dust ; TWA value 10 mg/m <sup>3</sup> Total dust ;
	ACGIH TLV	TWA value 10 mg/m <sup>3</sup> ;

### Personal protective equipment

#### **Respiratory protection:**

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. Observe OSHA regulations for respirator use (29 CFR 1910.134).

#### **Hand protection:**

Chemical resistant protective gloves

#### **Eye protection:**

Safety glasses with side-shields.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### **General safety and hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift. Wash soiled clothing immediately.

# Safety Data Sheet

## Mearlin® Super Brass 9232Z

Revision date : 2015/12/14  
Version: 5.0

Page: 5/10  
(30322669/SDS\_GEN\_US/EN)

### 9. Physical and Chemical Properties

Form:	powder
Odour:	odourless
Odour threshold:	not determined
Colour:	yellow
pH value:	7.0 - 11.0 ( 4 %(m))
Melting point:	The substance / product decomposes.
Boiling point:	not applicable, solid with a melting temperature over 300 °C
Flash point:	not applicable
Flammability:	not flammable
Flammability of Aerosol Products:	not applicable, the product does not form flammable aerosoles
Lower explosion limit:	For solids not relevant for classification and labelling.
Upper explosion limit:	For solids not relevant for classification and labelling.
Autoignition:	Study does not need to be conducted.
Vapour pressure:	not applicable
Density:	3.2 kg/l ( 20 °C)
Relative density:	3.2
Bulk density:	225 kg/m <sup>3</sup>
Vapour density:	The product is a non-volatile solid.
Partitioning coefficient n-octanol/water (log Pow):	Study does not need to be conducted.
Self-ignition temperature:	not self-igniting
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	Study does not need to be conducted.
Viscosity, kinematic:	not applicable, the product is a solid
Particle size:	No data available.
Solubility in water:	insoluble
Evaporation rate:	The product is a non-volatile solid.
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section. No further information available.

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

# Safety Data Sheet

## Mearlin® Super Brass 9232Z

Revision date : 2015/12/14  
Version: 5.0

Page: 6/10  
(30322669/SDS\_GEN\_US/EN)

No hazardous reactions when stored and handled according to instructions.  
The product is chemically stable.  
Hazardous polymerization will not occur.

### Conditions to avoid

Avoid dust formation. Avoid deposition of dust. No special precautions other than good housekeeping of chemicals.

### Incompatible materials

No substances known that should be avoided.

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

#### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Inhalation

not determined

#### Dermal

not determined

#### Assessment other acute effects

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

#### Irritation / corrosion

Assessment of irritating effects: Inhalation of dust may cause respiratory tract irritation, coughing and breathing difficulties. Contact with the eyes or skin may cause mechanical irritation.

#### Skin

May cause mechanical irritation.

# Safety Data Sheet

## Mearlin® Super Brass 9232Z

Revision date : 2015/12/14  
Version: 5.0

Page: 7/10  
(30322669/SDS\_GEN\_US/EN)

### Eye

May cause mechanical irritation.

### Aspiration Hazard

No aspiration hazard expected.

## Chronic Toxicity/Effects

### Repeated dose toxicity

Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause pulmonary problems. The product has not been tested. The statement has been derived from the properties of the individual components.

### Carcinogenicity

Assessment of carcinogenicity: Contains a compound classified as IARC Group 2B (possibly carcinogenic to humans). A clear indication of an increased risk of cancer in humans has so far not been shown. The whole of the information assessable provides no indication of a carcinogenic effect.

### *Information on: Titanium dioxide*

*Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term studies in rats in which the substance was given by inhalation, a carcinogenic effect was observed. Tumors were only observed in rats after chronic inhalative exposure to high concentrations which caused sustained lung inflammation. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. Dermal exposure is not expected to be carcinogenic.*

-----

### Reproductive toxicity

Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect.

### Teratogenicity

Assessment of teratogenicity: No data was available concerning toxicity to development.

### Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

---

## 12. Ecological Information

### Toxicity

#### Aquatic toxicity

Assessment of aquatic toxicity:

At the present state of knowledge, no negative ecological effects are expected. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

# Safety Data Sheet

## Mearlin® Super Brass 9232Z

Revision date : 2015/12/14  
Version: 5.0

Page: 8/10  
(30322669/SDS\_GEN\_US/EN)

Toxicity to fish  
LC50 > 100 mg/l

Aquatic invertebrates  
not determined

Aquatic plants  
not determined

Chronic toxicity to fish  
No data available.

Chronic toxicity to aquatic invertebrates  
No data available.

### Microorganisms/Effect on activated sludge

Toxicity to microorganisms  
EC0: > 100 mg/l

### Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O)  
The colourant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant

Inorganic product which cannot be eliminated from water by biological purification processes.

### Mobility in soil

Assessment transport between environmental compartments  
not applicable

### Additional information

The product contains: Tin  
The product contains heavy metals, which are firmly built in a matrix and are therefore not bioavailable. The local waste-water limit values are to be considered for the mentioned heavy metals.

Add. remarks environm. fate & pathway:  
The product has not been tested. The statements on environmental fate and pathway have been derived from the properties of the individual components.

Other ecotoxicological advice:  
The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

---

## 13. Disposal considerations

### Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.  
Dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

# Safety Data Sheet

## Mearlin® Super Brass 9232Z

Revision date : 2015/12/14  
Version: 5.0

Page: 9/10  
(30322669/SDS\_GEN\_US/EN)

### Container disposal:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

---

## 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical TSCA, US released / listed

### State regulations

#### State RTK

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
PA	12001-26-2	Mica-group minerals
	13463-67-7	Titanium dioxide
	1309-37-1	Iron oxide
MA	12001-26-2	Mica-group minerals
	1309-37-1	Iron oxide
	13463-67-7	Titanium dioxide
NJ	12001-26-2	Mica-group minerals
	13463-67-7	Titanium dioxide
	1309-37-1	Iron oxide

#### **NFPA Hazard codes:**

Health : 1      Fire: 0      Reactivity: 0      Special:

#### **HMIS III rating**

Health: 1      Flammability: 0      Physical hazard: 0

---

## 16. Other Information

### **SDS Prepared by:**

BASF NA Product Regulations

SDS Prepared on: 2015/12/14

# Safety Data Sheet

## Mearlin® Super Brass 9232Z

Revision date : 2015/12/14  
Version: 5.0

Page: 10/10  
(30322669/SDS\_GEN\_US/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

Mearlin® Super Brass 9232Z is a registered trademark of BASF Corporation or BASF SE  
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED  
HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS  
PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT  
PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO  
DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR  
TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING  
WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE  
MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET  
FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED  
WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE  
SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED  
A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY  
UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION  
FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO  
OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION  
GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET