

---

**Tradename: MIXOL<sup>®</sup> No. 22 Oxyd-Tabak (Oxide Tobacco)**

---

page 1/7

**SECTION 1: IDENTIFICATION****Identification of the company**

MIXOL-PRODUKTE Diebold GmbH  
Carl-Zeiss-Str. 17-19  
73230 Kirchheim/Teck  
Phone: 0049 / 7021 / 950090  
Fax: 0049 / 7021 / 56030

Information to substance / preparation

Division: Technics  
Phone: +49(0)7021 / 950090  
E-mail: [Technik@mixol.de](mailto:Technik@mixol.de)

Emergency tel.number

Emergency CONTACT (24-Hour-Number)  
GBK/Infotrac ID 107633: (USA DOMESTIC) 1 800 535 5053 or  
International (001) 352 323 3500

**Trade name**

MIXOL<sup>®</sup> No. 22 Oxyd-Tabak (Oxide Tobacco)

**Primary product use**

Colouring agent

**Chemical family**

C.I. Pigment Red 101, Yellow 42, Black 26 and Calciumcarbonate in aqueous dispersion,  
containing Polyglykol- and 1,2-Propanediol.

---

**SECTION 2: HAZARDS IDENTIFICATION****GHS Classification**

Not a hazardous substance or mixture.

**GHS Label element**

Not a hazardous substance or mixture.

**Other hazards**

None known.

---

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Substance/Mixture: Mixture

**Hazardous components**

This material is not considered hazardous by the OSHA Hazard Communication Standard  
(29 CFR 1910.1200).

---

**SECTION 4: FIRST AID MEASURES****General advice**

Get medical advice / attention if you feel unwell.

**If inhaled**

Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.

**In case of skin contact**

Wash thoroughly with soap and water for 15 minutes. If skin irritation occurs, seek medical attention.

**Tradename: MIXOL<sup>®</sup> No. 22 Oxyd-Tabak (Oxide Tobacco)**

page 2/7

**In case of eye contact**

Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.

**If swallowed**

If conscious, give the victim plenty of water to drink.

Consult a physician.

Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed**

None known.

**Notes to physician**

Treat symptomatically.

---

**SECTION 5: FIREFIGHTING MEASURES****Suitable extinguishing media**

Water spray jet

Dry powder

Carbon dioxide (CO<sub>2</sub>)

Alcohol-resistant foam

**Unsuitable extinguishing media**

High volume water jet

**Specific hazards during firefighting**

In case of fires, hazardous decomposition products may be produced such as:

Carbon oxides

Nitrogen oxides (NO<sub>x</sub>)

**Further information**

Wear suitable protective equipment.

Special protective equipment for firefighting:

**Special protective equipment for firefighters**

Self-contained breathing apparatus.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

Wear suitable personal protective equipment.

**Environment precautions**

The product should not be allowed to enter drains, water courses or the soil.

**Methods and material for containment and cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Treat recovered material as described in the section "Disposal considerations".

---

**SECTION 7: HANDLING AND STORAGE****Advice on protection against fire and explosion**

Normal measures for preventive fire protection.

**Advice on safe handling**

Use personal protective equipment.

Avoid breathing dust.

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Store in a dry place.

Keep away from heat.

Store in original container.

Keep container tightly closed.

# Safety Data Sheet

Version for USA

Creation Date: 05/19/2016

**Tradename: MIXOL<sup>®</sup> No. 22 Oxyd-Tabak (Oxide Tobacco)**

page 3/7

## Technical measures/Precautions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

Keep away from flames and sparks.

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### Components with workplace control parameters

| Components                | CAS-No.                                                                                                                                                                                              | Value type<br>(Form of exposure) | Control parameters/<br>Permissible concentration | Basis     |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|--------------------------------------------------|-----------|
| Amorphous silicon dioxide | 7631-86-9                                                                                                                                                                                            | TWA                              | 6 mg/m <sup>3</sup>                              | NIOSH REL |
|                           |                                                                                                                                                                                                      | TWA                              | 20 Million particles per cubic foot              | OSHA Z-3  |
|                           | Further information: Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques., mppcf X 35.3 = million particles per cubic meter = particles per c.c |                                  |                                                  |           |
| Propylene Glycol          | 57-55-6                                                                                                                                                                                              | TWA                              | 10 mg/m <sup>3</sup>                             | US WEEL   |
| Calcium carbonate         | 471-34-1                                                                                                                                                                                             | TWA<br>(respirable)              | 5 mg/m <sup>3</sup>                              | NIOSH REL |
|                           |                                                                                                                                                                                                      | TWA (total)                      | 10 mg/m <sup>3</sup>                             | NIOSH REL |

### Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

#### Respiratory protection:

Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

#### Hand protection Remarks:

Butyl Rubber, PVC or Neoprene.

#### Eye protection:

Safety glasses or chemical splash goggles.

#### Skin and body protection:

Wear suitable protective equipment.

#### Protective measures:

Wear suitable protective equipment.

#### Hygiene measures:

Wash hands before breaks and at the end of workday.

Use protective skin cream before handling the product.

Take off immediately all contaminated clothing and wash it before reuse.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                  |                 |
|------------------|-----------------|
| Appearance:      | liquid          |
| Colour:          | brown           |
| Odour:           | not significant |
| Odour threshold: | not required    |
| pH value:        | not measured    |
| Boiling point:   | approx. 100 °C  |

# Safety Data Sheet

Version for USA

Creation Date: 05/19/2016

**Tradename: MIXOL® No. 22 Oxyd-Tabak (Oxide Tobacco)**

page 4/7

|                                                      |                        |
|------------------------------------------------------|------------------------|
| Flash point:                                         | > 100 °C               |
| Evaporation rate:                                    | not determined         |
| Flammability:                                        | not determined         |
| Lower explosion limit:                               | not determined         |
| Upper explosive limit:                               | not determined         |
| Combustion number:                                   | not applicable         |
| Vapour pressure:                                     | not determined         |
| Relative vapour density:                             | not determined         |
| Relative Density:                                    | no data available      |
| Density:                                             | 1,74 g/cm <sup>3</sup> |
| Solubility in water:                                 | miscible               |
| Octanol/ water partition<br>n-coefficient (log Pow): | not determined         |
| Auto-ignition temperature:                           | not determined         |
| Decomposition temperature:                           | > 100 °C               |
| Viscosity (dynamic):                                 | not applicable         |
| Oxidizing properties:                                | no data available      |
| Melting point:                                       | Not applicable         |
| Molecular weight:                                    | no data available      |

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

No dangerous reaction known under conditions of normal use.

### Chemical Stability

Stable under normal conditions.

### Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Stable.

### Conditions to avoid

None known.

### Incompatible Materials

No data available.

### Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: TOXICOLOGIC INFORMATION

### Acute toxicity

#### Product:

Acute oral toxicity:

Remarks: no data available

Acute inhalation toxicity:

Remarks: no data available

### Skin corrosion/irritation

#### Product:

Species:

EPISKIN Human Skin Model Test

Method:

OECD Test Guideline 439

Result:

No skin irritation

Remarks:

The toxicological data has been taken from products of similar composition.

### Serious eye damage/eye irritation

#### Product:

Species:

Bovine cornea

Result:

No eye irritation

# Safety Data Sheet

Version for USA

Creation Date: 05/19/2016

**Tradename: MIXOL<sup>®</sup> No. 22 Oxyd-Tabak (Oxide Tobacco)**

page 5/7

|          |                                                                             |
|----------|-----------------------------------------------------------------------------|
| Method:  | OECD Test Guideline 437                                                     |
| Remarks: | The toxicological data has been taken from products of similar composition. |
| Species: | rabbit eye                                                                  |
| Result:  | No eye irritation                                                           |
| Method:  | OECD Test Guideline 405                                                     |
| Remarks: | The toxicological data has been taken from products of similar composition. |

## Respiratory or skin sensitisation

Product:

Remarks: no data available

## Germ cell mutagenicity

Product:

Genotoxicity in vitro: Remarks: no data available

Germ cell mutagenicity –

Assessment: No information available.

## Carcinogenicity

Product:

Carcinogenicity - Assessment: No information available.

## Reproductive toxicity

Product:

Reproductive toxicity –

Assessment: No information available.

## STOT - single exposure

Product:

Remarks: no data available

## STOT - repeated exposure

Product:

Remarks: no data available

## Repeated dose toxicity

Product:

Remarks: This information is not available.

## Aspiration toxicity

Product:

no data available

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity

Product:

Toxicity to fish: Remarks: no data available

Toxicity to daphnia and other aquatic invertebrates: Remarks: no data available

Toxicity to algae: Remarks: no data available

Toxicity to fish (Chronic toxicity): Remarks: no data available

Toxicity to bacteria: Remarks: no data available

### Persistence and degradability

Product:

Biodegradability: Remarks: no data available

# Safety Data Sheet

Version for USA

Creation Date: 05/19/2016

**Tradename: MIXOL<sup>®</sup> No. 22 Oxyd-Tabak (Oxide Tobacco)**

page 6/7

## Bioaccumulative potential

Product:

Bioaccumulation:

Remarks: no data available

## Mobility in soil

no data available

## Other adverse effects

Product:

Environmental fate and pathways:

Remarks: no data available

Additional ecological information:

no data available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues:

Dispose of in accordance with the European Directives on waste and hazardous waste.

Contaminated packaging:

This material and its container must be disposed of in a safe way.

## SECTION 14: TRANSPORT INFORMATION

DOT:

not restricted

IATA:

not restricted

IMDG:

not restricted

## SECTION 15: REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 311/312 Hazards:

No SARA Hazards

#### SARA 302:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313:

This product does not contain any toxic chemical listed under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986.

### Clean Water Act

Contains no known priority pollutants at concentrations greater than 0.1 %.

### The components of this product are reported in the following inventories

TSCA:

On TSCA Inventory

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**Tradename: MIXOL<sup>®</sup> No. 22 Oxyd-Tabak (Oxide Tobacco)**

page 7/7

**SECTION 16: OTHER INFORMATION****Further information**

Revision Date:

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

US / USA