

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 17 Senf

Revision date: 03/16/2023

Page 1 of 9

1. Identification

Product identifier

MIXOL® Nr. 17 Senf

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Color, Pigment

Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH
Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck
Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030
e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

Emergency phone number: Emergency CONTACT (24 h) GBK/Infotrac ID 107633 (USA Domestic):
18005355053

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

Label elements

Additional advice on labelling

GHS label elements, including precautionary statements: none/none

Hazards not otherwise classified

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

3. Composition/information on ingredients

Mixtures

Hazardous components

| CAS No | Components | Quantity |
|------------|---|----------|
| 68920-66-1 | Alcohols, C16-18 and C18-unsatd., ethoxylated | 5.443 % |
| 68920-66-1 | Alcohols, C16-18 and C18-unsatd., ethoxylated | 5.356 % |

4. First-aid measures

Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 17 Senf

Revision date: 03/16/2023

Page 2 of 9

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.
Water spray jet, Extinguishing powder, Carbon dioxide (CO₂), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x).

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 17 Senf

Revision date: 03/16/2023

Page 3 of 9

Disposal: see section 13

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapors/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Further information on handling

Handle and open container with care.

Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

8. Exposure controls/personal protection**Control parameters**

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 17 Senf

Revision date: 03/16/2023

Page 4 of 9

Exposure limits

| CAS No | Substance | ppm | mg/m ³ | f/cc | Category | Origin |
|-------------|---|--------------------------|-------------------|------|---------------|------------|
| 1317-65-3 | Calcium carbonate (resp) | - | 5 | | TWA (8 h) | REL |
| 1317-65-3 | Calcium Carbonate Respirable fraction | - | 5 | | TWA (8 h) | REL |
| 1333-86-4 | Carbon black (in presence of polycyclic aromatic hydrocarbons (PAHs)) (as PAHs) | - | 0.1 | | TWA (8 h) | REL |
| 1333-86-4 | Carbon black (inhalable fraction) | - | 3 | | TWA (8 h) | ACGIH-2022 |
| 1333-86-4 | Carbon black | - | 3.5 | | TWA (8 h) | REL |
| 7440-50-8 | Copper (dusts and mists, as Cu) | - | 1 | | TWA (8 h) | REL |
| 1309-37-1 | Iron oxide (Fe ₂ O ₃) (respirable fraction) | - | 5 | | TWA (8 h) | ACGIH-2022 |
| 1309-37-1 | Iron oxide dust and fume (as Fe) | - | 5 | | TWA (8 h) | REL |
| 1309-37-1 | Iron oxide fume | - | 10 | | TWA (8 h) | REL |
| 7439-96-5 | Manganese compounds (as Mn) | - | C 5 | | Ceiling | REL |
| 7439-96-5 | Manganese compounds and fume (as Mn) | - | 1 | | TWA (8 h) | REL |
| | | - | 3 | | STEL (15 min) | REL |
| - | Manganese inorganic compounds (inhalable fraction), as Mn | - | 0.1 | | TWA (8 h) | ACGIH-2022 |
| - | Manganese inorganic compounds (respirable fraction), as Mn | - | 0.02 | | TWA (8 h) | ACGIH-2022 |
| 112926-00-8 | Silica, amorphous, precipitated and gel | 706 mp/m ³ | (Z-3) | | TWA (8 h) | REL |
| 7631-86-9 | Silica, amorphous | - | 6 | | TWA (8 h) | REL |

Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 17 Senf

Revision date: 03/16/2023

Page 5 of 9

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

9. Physical and chemical properties**Information on basic physical and chemical properties**

| | | |
|---|---------------------|------------------------|
| Physical state: | Liquid (Dispersion) | |
| Color: | yellow - green | |
| Odor: | odorless | |
| Odour threshold: | not applicable | |
| Melting point/freezing point: | | not determined |
| Boiling point or initial boiling point and boiling range: | | 100 °C |
| Flammability: | | Non-flammable. |
| Lower explosion limits: | | not determined |
| Upper explosion limits: | | not determined |
| Flash point: | | > 100 °C |
| Auto-ignition temperature: | | not determined |
| Decomposition temperature: | | > 100 °C |
| pH-Value: | | not determined |
| Viscosity / kinematic: | | not determined |
| Water solubility: | | miscible |
| Solubility in other solvents | | not determined |
| Partition coefficient n-octanol/water: | | not determined |
| Vapor pressure: | | not determined |
| Density (at 20 °C): | | 1,49 g/cm ³ |
| Relative vapour density: | | not determined |
| Particle characteristics: | | not applicable |

Other information**Further Information**

No information available.

10. Stability and reactivity**Reactivity**

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stability: Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible materials

No information available.

Hazardous decomposition productsIn case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x).

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 17 Senf

Revision date: 03/16/2023

Page 6 of 9

11. Toxicological information**Route(s) of Entry**

oral, inhalative, Skin contact, Eye contact

Information on toxicological effects**Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated:

oral: > 2000 mg/kg

dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/l (4 h)

Inhalation (dust/mist): > 5 mg/l (4h)

| CAS No | Components | | | | |
|------------|---|------------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 68920-66-1 | Alcohols, C16-18 and C18-unsatd., ethoxylated | | | | |
| | oral | ATE 500 mg/kg | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy)

Serious eye damage/eye irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy)

Sensitizing effects

Based on available data, the classification criteria are not met.

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (IARC): Silica, amorphous (CAS 7631-86-9) is listed in group 3. Ferric oxide (CAS 1309-37-1) is listed in group 3. Carbon black (CAS 1333-86-4) is listed in group 2B.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards**Endocrine disrupting properties**

No information available.

12. Ecological information**Ecotoxicity**

The product is not: Ecotoxic.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 17 Senf

Revision date: 03/16/2023

Page 7 of 9

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No information available.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations**Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information**U.S. DOT 49 CFR 172.101****Proper shipping name:**

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)**UN number or ID number:**

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)**UN number or ID number:**

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

No information available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information**U.S. Regulations****National Inventory TSCA**

CAS No. 1317-65-3: Yes.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 17 Senf

Revision date: 03/16/2023

Page 8 of 9

CAS No. 68920-66-1: Yes.
 CAS No. 68186-94-7: Yes.
 Silica, amorphous: Yes.
 CAS No. 1328-53-6: Yes.
 CAS No. 1309-37-1: Yes.
 CAS No. 1333-86-4: Yes.
 CAS No. 2634-33-5: Yes.
 CAS No. 55965-84-9: Yes.

National regulatory information

SARA Section 304 CERCLA:

Manganese compounds (-): Reportable quantity = &

Copper compounds (-): Reportable quantity = &

SARA Section 311/312 Hazards:

Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1): Immediate (acute) health hazard

C.I. Pigment Black 7 (1333-86-4): Delayed (chronic) health hazard, Immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Manganese compounds (-): De minimis limit = 1.0 %, Reportable threshold = Standard

Copper compounds (-): De minimis limit = 1.0 %, Reportable threshold = Standard

Clean Air Act Section 112(b):

Manganese compounds (-)

State Regulations**Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

WARNING: This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size) (cancer), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. Other information**Hazardous Materials Information Label (HMIS)**

Health: *1
 Flammability: 1
 Physical Hazard: 0

NFPA Hazard Ratings

Health: 1
 Flammability: 1
 Reactivity: 0
 Unique Hazard:

**Changes**

Revision date: 03/16/2023
 Revision No: 1,3

This data sheet contains changes from the previous version in section(s): 6,9,12,15.

Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists
 CFR: Code of Federal Regulations
 DOT: Department of Transportation
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IARC: International Agency for Research on Cancer
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 CAS: Chemical Abstracts Service
 NFPA: National Fire Protection Association

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 17 Senf

Revision date: 03/16/2023

Page 9 of 9

NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PEL: permissible exposure limit
REL: recommended exposure limit
SARA: Superfund Amendments and Reauthorization Act
STEL: Short-term exposure limit
TSCA: Toxic Substances Control Act
TWA: time-weighted average
TI: Technical Instructions
DGR: Dangerous Goods Regulations
UN: United Nations
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)