SAFETY DATA SHEET

RING REMOVER Review date: 31/05/07 91/155/EC (2001/58/EC) - ISO 11014-1 Version:7-1 1. IDENTIFICATION OF THE SUBSTANCE /PREPARATION AND OF THE COMPANY UNDERTAKING Product name: RING REMOVER Uses or/and applications: cleaner Product code nr: 700 Supplier: Liberon Ltd Mountfield Industrial Estate NEW ROMNEY **KENT TN28** Phone: +44 1797 367555 +44 1797 367575 Fax: info.uk@v33.com E-mail: UK - National Poisons Information Service Phone: 44 / 191 22 5131 Emergency phone number (to be used B - Centre Antipoisons Tél: 070 / 245.245 by the practising doctor): 2. HAZARDS IDENTIFICATION Most important hazards: Flammable. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking Repeated and prolonged exposure may cause skin irritation and Specific hazards: of dermatitis due to degreasing properties the product 3. COMPOSITION / INFORMATION ON INGREDIENTS Formula: FOI IA05 NAPHTA HYDROTRAITE PT EBU BAS - CAS no: *64742-48-9 Component(s) contributing to the hazard: Conc. wt.(%): 60 < C <= 70 - Symbol(s): Xn - R-phrase(s): 10-65-66 4. FIRST AID MEASURES General advice: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). For symptom description, see item 11. Inhalation: Take victim to fresh air, in a quiet place, in an half laying position and if . necessary take medical advice. Artificial respiration and/or oxygen if necessary. Skin contact: Wash with water and soap as a precaution. If skin irritation persists, take medical advice. Wash with plenty of water (during 20 minutes minimum) with eyes wide Eve contact: open after taking off soft contact lenses and immediately take medical advice. If accidentally swallowed obtain immediate medical attention. Keep at Ingestion: rest. Do NOT induce vomiting. Rinse mouth, do not drink anything, keep guiet, and go immediately to hospital or to a doctor. 5. FIRE-FIGHTING MEASURES Suitable extinguishing media: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2), water spray, sand, earth. Extinguishing media which must NOT Do not use a solid water stream as it may scatter and spread fire be used for safety reasons: Cool closed containers exposed to fire with water spray. Specific method(s): Do not allow run-off from fire fighting to enter drains or water courses. Specific fire hazard(s): Vapours are heavier than air and spread above ground. In case of fire, product decomposes in: carbon oxides (CO and CO2) and smoke. Concerning product toxicity, see item 11 and about product stability and reactivity see item 10.

SAFETY DATA SHEET

RING REMOVER Review date: 31/05/07

Version:7-1

91/155/EC (2001/58/EC) - ISO 11014-1

Special protective equipment for firefighters: Use a self-contained breathing apparatus and also a protective suit.

6. ACCIDENTAL RELEASE MEASURES Personal precaution(s): Evacuate personnel to a safe area. Remove all sources of ignition. Be careful to flashback of fire. Ensure adequate ventilation. Avoid contact with skin, eyes, or clothing. Concerning personal protective equipment to use, see item 8. Stop leak without risks if possible. Environmental precaution(s): Dike and contain spill. Do not allow material to contaminate ground water system. Concerning disposal elimination after cleaning, see item 13. Soak up with absorbent material (for example sand, sawdust, neutral Method(s) for cleaning up: absorbent granule, silica gel). Shovel into suitable and closed container for disposal. Dispose as hazardous waste. 7. HANDLING AND STORAGE Handling - Precaution(s): Vapours are heavier than air and may spread along floors. They may form explosive mixture with air. Avoid all eyes and skin contact and do not breathe vapour and mist. Do not eat, drink and do not smoke in areas where product is used. Shower, eyes shower and water point in proximity. Wear personal protective equipment (see item 8). - Technical condition(s): Avoid static electricity discharges. Ventilation along floor. - Safe handling advice(s): Opened containers must be carefully closed and kept upright to avoid leakage. Storage - Precaution(s): Store in a place accessible by authorised persons only. Keep container tightly closed in a cool place. - Technical condition(s): Not flammable and waterproof underground retention basin. Keep container tightly closed, at a temperature not exceeding 45 °C - Storage condition(s): Keep away from sources of ignition - No smoking. Store away from direct sunlight or other heat sources. Store in a well-ventilated place. - Separation of incompatible product(s): Keep away from: acids, strong bases and oxidising compounds. - Packaging / tank material: made of the same material as the supply container. Avoid certain plastics which are soluble in product. - Unsuitable packaging materials: rubbers aluminium

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measure(s):	Ensure adequate ventilation, especially in confined areas.
Control parameter(s):	
 Exposure limit(s): 	
Personal protection equipment:	
 Respiratory protection: 	In case of insufficient ventilation wear suitable respiratory equipment.
	(breathing apparatus with filter A)
- Hand protection:	nitrile rubber gloves
	neoprene gloves
 Skin and body protection: 	solvent-resistant apron and boots
	long sleeved protective clothing
- Eye protection:	Wear closed safety glasses. or face shield
PAGE 2 / 4	

SAFETY DATA SHEET

RING REMOVER

Version:7-1

Review date: 31/05/07

Hygiene measure(s):

Do not eat, drink, or smoke during work. Keep away from food, drink and animal feed. Keep workplace clean and tidy as much as possible.

9. PHYSICAL AND CHEMICAL PROPERTIES

General information	
- Physical state / form:	liquid
- Colour: - Odour:	opaque characteristic
Important health, safety and	Characteristic
environmental information	
- PH:	Not applicable.
- Boiling point/range:	Not determined.
- Flash point:	38°C
 Explosion limits: Relative density (water = 1): 	Not determined. 1.1-1.4
- Viscosity:	28s (coupe 3, 23°C)
- Water solubility:	emulsifiable
- Fat solubility:	partly soluble
 Solvent solubility: 	soluble in most organic solvents
10. STABILITY AND REACTIVITY Stability:	Stable in use and stars as additions as recommanded in item 7
Condition(s) to avoid:	Stable in use and storage conditions as recommended in item 7. Do not expose at temperatures above 45°C
Material(s) to avoid:	Avoid certain plastics which are soluble in product.
Hazardous decomposition products:	Hazardous decomposition products may be released during prolonged
	heating like smokes, carbon monoxide and dioxide.
11. TOXICOLOGICAL INFORMATION	
General information(s):	There is no data available on the product itself.
Aguto toxicity	Periodical medical test is recommended to measure exposure.
Acute toxicity	
Acute toxicity - Inhalation:	Periodical medical test is recommended to measure exposure. Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness,
	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest.
	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the
- Inhalation:	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin.
- Inhalation:	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to
- Inhalation:	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis.
- Inhalation:	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Liquid splashes in the eye may cause irritation. (pain, redness) . May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
 Inhalation: Skin contact: Eyes contact: 	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Liquid splashes in the eye may cause irritation. (pain, redness) . May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Susceptible to induce: oedema of the lungs, heavy breathing difficulty,
 Inhalation: Skin contact: Eyes contact: 	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Liquid splashes in the eye may cause irritation. (pain, redness) . May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
 Inhalation: Skin contact: Eyes contact: Ingestion: 	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Liquid splashes in the eye may cause irritation. (pain, redness) . May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Susceptible to induce: oedema of the lungs, heavy breathing difficulty,
 Inhalation: Skin contact: Eyes contact: 	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Liquid splashes in the eye may cause irritation. (pain, redness) . May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Susceptible to induce: oedema of the lungs, heavy breathing difficulty,
 Inhalation: Skin contact: Eyes contact: Ingestion: 12. ECOLOGICAL INFORMATION General information(s):	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Liquid splashes in the eye may cause irritation. (pain, redness) . May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Susceptible to induce: oedema of the lungs, heavy breathing difficulty, dizziness. There is no data available on the product itself.
 Inhalation: Skin contact: Eyes contact: Ingestion: 12. ECOLOGICAL INFORMATION General information(s): Persistence and degradability:	 Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Liquid splashes in the eye may cause irritation. (pain, redness) . May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Susceptible to induce: oedema of the lungs, heavy breathing difficulty, dizziness. There is no data available on the product itself. Product has only a limited biodegradability in soil and water.
 Inhalation: Skin contact: Eyes contact: Ingestion: 12. ECOLOGICAL INFORMATION General information(s):	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Liquid splashes in the eye may cause irritation. (pain, redness) . May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Susceptible to induce: oedema of the lungs, heavy breathing difficulty, dizziness. There is no data available on the product itself.
 Inhalation: Skin contact: Eyes contact: Ingestion: 12. ECOLOGICAL INFORMATION General information(s): Persistence and degradability: Bioaccumulation: Otheradverse effects	 Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Liquid splashes in the eye may cause irritation. (pain, redness). May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Susceptible to induce: oedema of the lungs, heavy breathing difficulty, dizziness. There is no data available on the product itself. Product has only a limited biodegradability in soil and water.
 Inhalation: Skin contact: Eyes contact: Ingestion: 12. ECOLOGICAL INFORMATION General information(s): Persistence and degradability: Bioaccumulation:	 Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,breathing arrest. Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Liquid splashes in the eye may cause irritation. (pain, redness) . May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Susceptible to induce: oedema of the lungs, heavy breathing difficulty, dizziness. There is no data available on the product itself. Product has only a limited biodegradability in soil and water.

Collect all waste in suitable and labelled containers and dispose Waste / unused products: according to local legislation. Can be recycled. Do not dispose of waste into sewer. Destruction by incineration / pyrolyse

. PAGE **3** / 4

SAFETY DATA SHEET **RING REMOVER** Review date: 31/05/07 91/155/EC (2001/58/EC) - ISO 11014-1 Version:7-1 Contaminated packaging: This container is only to be used for this product. Container remains hazardous when empty. Continue to observe all precautions. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Further Information(s): 14. TRANSPORT INFORMATION General information(s): Transport followed ADR, IMDG, IATA UN N°: 1263 Land (Road / Railway: ADR/RID) - Class: 3 - Verpakkingsgroep: Ш Sea (IMDG) - Class: 3 Air (ICAO/IATA) **15. REGULATORY INFORMATION** Labelling: According to European directives on classification, packaging and labelling of dangerous substances EC number: Not applicable. Contains: • NAPHTA HYDROTRAITE PT EBU BAS Symbol(s): Xn – Harmful R-phrase(s): 10 Flammable. 65 Harmful: may cause lung damage if swallowed. 66 Repeated exposure may cause skin dryness or cracking 2 Keep out of the reach of children. S-phrase(s): 29 Do not empty into drains. 51 Use only in well-ventilated areas. 62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. **16. OTHER INFORMATION** According legislation(s): This safety data sheet is in compliance with directives and adaptings: 91/155, 67/548, 88/379 Important remarks: Information in this safety data sheet is based on actual knowledge in our possession and our experience. It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users. No liability will be accepted (except as otherwise provided by law) arising out of the use of information supplied in this data sheet. Uses or/and applications: cleaner Restrictions: This information relates to the specific material designated and may not be valid in combination with other product(s).

History

- First edition date: 20/07/98
- Previous revision date: 20/03/07
- Review date: 31/05/07
- Version: 7-1
- Review chapter(s) nº: 2/16

PAGE 4/4