Page 1 of 9

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 2 Umbra

Revision date: 03/13/2023

1. Identification

Product identifier

MIXOL® Nr. 2 Umbra

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Color, Pigment

Details of the supplier of the safety data sheet

Dotalle of the cappiler of the call	ty data onoot	
Company name:	MIXOL-PRODUKTE Diebold GmbH	
Street:	Carl-Zeiss-Str. 17-19	
Place:	D-73230 Kirchheim/Teck	
Telephone:	+49/(0)7021 / 950090	Telefax: +49/(0)7021 / 56030
e-mail:	info@mixol.de	
e-mail (Contact person):	Technik@mixol.de	
Internet:	www.mixol.de	
Responsible Department:	Technik	
Emergency phone number:	Emergency CONTACT (24 h) GBK/Infotra 18005355053	ac ID 107633 (USA Domestic):

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200 Carcinogenicity: Carc. 2

Label elements

29 CFR Part 1910.1200

Signal word:

Warning





Hazard statements

Suspected of causing cancer

Precautionary statements

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye/face protection. If exposed or concerned: Get medical advice/attention. Store locked up. Dispose of waste according to applicable legislation.

Hazards not otherwise classified

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

3. Composition/information on ingredients

<u>Mixtures</u>

Revision No: 1,3 - Replaces version: 1,2

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 2 Umbra

Revision date: 03/13/2023

Page 2 of 9

Hazardous components

CAS No	S No Components		
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	9.081 %	
1333-86-4	C.I. Pigment Black 7	0.909 %	

4. First-aid measures

Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothes.

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 2 Umbra

Revision date: 03/13/2023

Page 3 of 9

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapors/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Further information on handling

Handle and open container with care.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

8. Exposure controls/personal protection

Control parameters

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 2 Umbra

Revision date: 03/13/2023

Page 4 of 9

Exposure limits

CAS No	Substance	ppm	mg/m³	f/cc	Category	Origin
1317-65-3	Calcium carbonate (resp)	-	5		TWA (8 h)	REL
1317-65-3	Calcium Carbonate Respirable fraction	-	5		TWA (8 h)	PEL
1333-86-4	Carbon black (in presence of polycyclic aromatic hydrocarbons (PAHs)) (as PAHs)	-	0.1		TWA (8 h)	REL
1333-86-4	Carbon black (inhalable fraction)		3		TWA (8 h)	ACGIH-2022
1333-86-4	Carbon black	-	3.5		TWA (8 h)	PEL
1309-37-1	Iron oxide (Fe2O3) (respirable fraction)		5		TWA (8 h)	ACGIH-2022
1309-37-1	Iron oxide dust and fume (as Fe)	-	5		TWA (8 h)	REL
1309-37-1	Iron oxide fume	-	10		TWA (8 h)	PEL
7439-96-5	Manganese compounds (as Mn)	-	C 5		Ceiling	PEL
7439-96-5	Manganese compounds and fume (as Mn)	-	1		TWA (8 h)	REL
		-	3		STEL (15 min)	REL
-	Manganese inorganic compounds (inhalable fraction), as Mn		0.1		TWA (8 h)	ACGIH-2022
-	Manganese inorganic compounds (respirable fraction), as Mn		0.02		TWA (8 h)	ACGIH-2022
112926-00-8	Silica, amorphous, precipitated and gel	706 mp/m³	(Z-3)		TWA (8 h)	PEL
7631-86-9	Silica, amorphous	-	6		TWA (8 h)	REL

Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Individual protection measures, such as personal protective equipment

iniviadal protection medsures, such as person

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 2 Umbra

Revision date: 03/13/2023

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

9. Physical and chemical properties

Information on basic physical and chemical properties

information on basic physical and chemic	cal properties	
Physical state:	Liquid	
Color:	gray-brown	
Odor:	odorless	
Odour threshold:	not applicable	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		100 °C
boiling range:		
Flammability:		Non-flammable.
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		> 100 °C
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		miscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapor pressure:		not determined
Density (at 20 °C):		1,96 g/cm³
Relative vapour density:		not determined
Particle characteristics:		not applicable
Other information		
Other safety characteristics		
:		> 100 °C

Further Information

No information available.

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stability:

Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions:

Will not occur

No known hazardous reactions.

Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible materials

No information available.

Page 5 of 9

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 2 Umbra

Revision date: 03/13/2023

Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

11. Toxicological information

Route(s) of Entry

oral, inhalative, Skin contact, Eye contact

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg Inhalation (vapour): >20 mg/l (4 h) Inhalation (dust/mist): > 5 mg/l (4h)

CAS No	Components					
	Exposure route	Dose		Species	Source	Method
1333-86-4	C.I. Pigment Black 7					
	oral	LD50 mg/kg	> 10000	Rat	Manufacturer	OECD 401

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / evaluation: Not an irritant. (Rabbit) Method: OECD 404 Test was carried out with a similar formulation. (By analogy)

Serious eye damage/eye irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy)

Sensitizing effects

Based on available data, the classification criteria are not met. May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer (C.I. Pigment Black 7) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Ferric oxide (CAS 1309-37-1) is listed in group 3. Silica, amorphous (CAS 7631-86-9) is listed in group 3. Carbon black (CAS 1333-86-4) is listed in group 2B.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Carcinogenicity (IARC):

Endocrine disrupting properties

No information available.

Page 6 of 9

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 2 Umbra

Revision date: 03/13/2023

Page 7 of 9

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information

U.S. DOT 49 CFR 172.101

Proper shipping name:

Marine transport (IMDG)

UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group:

Air transport (ICAO-TI/IATA-DGR) <u>UN number or ID number:</u>

UN proper shipping name: Transport hazard class(es): Packing group:

Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Special precautions for user

No information available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No

not applicable

15. Regulatory information

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 2 Umbra

Revision date: 03/13/2023

Page 8 of 9

U.S. Regulations

National Inventory TSCA

CAS No. 68186-94-7: Yes. CAS No. 1309-37-1: Yes. CAS No. 1317-65-3: Yes. CAS No. 68920-66-1: Yes. Silica, amorpous: Yes. CAS No. 1333-86-4: Yes. CAS No. 2634-33-5: Yes. CAS No. 55965-84-9: Yes.

National regulatory information

SARA Section 304 CERCLA:

Manganese compounds (-): Reportable quantity = & SARA Section 311/312 Hazards:

Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1): Immediate (acute) health hazard

C.I. Pigment Black 7 (1333-86-4): Delayed (chronic) health hazard, Immediate (acute) health hazard SARA Section 313 Toxic release inventory:

Manganese compounds (-): De minimis limit = 1.0 %, Reportable threshold = Standard Clean Air Act Section 112(b):

Manganese compounds (-)

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

WARNING: This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size) (cancer), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. Other information

Hazardous Materials Information	on Label (HMIS)
Health:	*3
Flammability:	1
Physical Hazard:	0
NFPA Hazard Ratings	
Health:	3
Flammability:	1
Reactivity:	0
Unique Hazard:	
Changes	
Revision date:	03/13/2023
Revision No:	1,3
This data sheet contains cha	anges from the previous version in section(s): 6,9,11,12,15.

30

Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists CFR: Code of Federal Regulations DOT: Department of Transportation ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IARC: International Agency for Research on Cancer GHS: Globally Harmonized System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service NFPA: National Fire Protection Association

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 2 Umbra

Revision date: 03/13/2023

Page 9 of 9

NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: permissible exposure limit REL: recommended exposure limit SARA: Superfund Amendments and Reauthorization Act STEL: Short-term exposure limit **TSCA: Toxic Substances Control Act** TWA: time-weighted average **TI: Technical Instructions** DGR: Dangerous Goods Regulations **UN: United Nations** ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)