according to 29 CFR 1910.1200(g)

## MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 03/13/2023

Page 1 of 9

### 1. Identification

### Product identifier

MIXOL® Nr. 3 Oxyd-Rehbraun

## Recommended use of the chemical and restrictions on use

Color, Pigment

# Details of the supplier of the safety data sheet

Company name:	MIXOL-PRODUKTE Diebold GmbH	
Street:	Carl-Zeiss-Str. 17-19	
Place:	D-73230 Kirchheim/Teck	
Telephone:	+49/(0)7021 / 950090	Telefax: +49/(0)7021 / 56030
e-mail:	info@mixol.de	
e-mail (Contact person):	Technik@mixol.de	
Internet:	www.mixol.de	
Responsible Department:	Technik	
Emergency phone number: Emergency CONTACT (24 h) GBK/Infotrac ID 107633 (USA Do 18005355053		

## 2. Hazard(s) identification

### **Classification of the chemical**

### 29 CFR Part 1910.1200

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

### Label elements

## Additional advice on labelling

GHS label elements, including precautionary statements: none/none

### Hazards not otherwise classified

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

### 3. Composition/information on ingredients

### **Mixtures**

#### Hazardous components

CAS No	Components	Quantity
68186-94-7	Manganese ferrite black spinel	10.71 %
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	6.332 %
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	4.914 %

## 4. First-aid measures

## **Description of first aid measures**

#### **General information**

When in doubt or if symptoms are observed, get medical advice.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated

according to 29 CFR 1910.1200(g)

## MIXOL® Nr. 3 Oxyd-Rehbraun

#### Revision date: 03/13/2023

Page 2 of 9

clothing and wash it before reuse. In case of skin reactions, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.

### Most important symptoms and effects, both acute and delayed

No information available.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### 5. Fire-fighting measures

# Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

#### Unsuitable extinguishing media

Full water jet

#### Specific hazards arising from the chemical

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

#### Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothes.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

### For emergency responders

Wear personal protection equipment (refer to section 8).

#### **Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

#### For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### Other information

Clean contaminated articles and floor according to the environmental legislation.

## Reference to other sections

Safe handling: see section 7

according to 29 CFR 1910.1200(g)

# MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 03/13/2023

Page 3 of 9

## Personal protection equipment (PPE): see section 8 Disposal: see section 13

### 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapors/spray. Use personal protection equipment.

## Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

### Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

#### Further information on handling

Handle and open container with care.

### Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

No information available.

### Further information on storage conditions

storage stability: >= 36 month(s)

# 8. Exposure controls/personal protection

### **Control parameters**

### Exposure limits

CAS No	Substance	ppm	mg/m³	f/cc	Category	Origin
1317-65-3	Calcium carbonate (resp)	-	5		TWA (8 h)	REL
1317-65-3	Calcium Carbonate Respirable fraction	-	5		TWA (8 h)	PEL
1309-37-1	Iron oxide (Fe2O3) (respirable fraction)		5		TWA (8 h)	ACGIH-2022
1309-37-1	Iron oxide dust and fume (as Fe)	-	5		TWA (8 h)	REL
1309-37-1	Iron oxide fume	-	10		TWA (8 h)	PEL
7439-96-5	Manganese compounds (as Mn)	-	C 5		Ceiling	PEL
7439-96-5	Manganese compounds and fume (as Mn)	-	1		TWA (8 h)	REL
		-	3		STEL (15 min)	REL
-	Manganese inorganic compounds (inhalable fraction), as Mn		0.1		TWA (8 h)	ACGIH-2022
-	Manganese inorganic compounds (respirable fraction), as Mn		0.02		TWA (8 h)	ACGIH-2022
7631-86-9	Silica, amorphous	-	6		TWA (8 h)	REL

### Exposure controls

according to 29 CFR 1910.1200(g)

# MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 03/13/2023

Page 4 of 9



## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye protection/face protection.

#### Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

### Skin protection

Use of protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state: Color: Odor: Odour threshold:	Liquid (Dispersion) brown odorless not applicable	
Melting point/freezing point: Boiling point or initial boiling point and boiling range:		not determined 100 °C
Flammability: Lower explosion limits:		Non-flammable. not determined
Upper explosion limits: Flash point:		not determined > 100 °C
Auto-ignition temperature: Decomposition temperature:		not determined > 100 °C
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility: Solubility in other solvents not determined		miscible
Partition coefficient n-octanol/water: Vapor pressure: Density (at 20 °C):		not determined not determined 1,65 g/cm <sup>3</sup>

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 3 Oxyd-Rehbraun				
Revision date: 03/13/2023			Page 5 of 9	
Relative vapour density:		not determined		
Particle characteristics:		not applicable		
Other information				
Further Information				
No information available.				
10. Stability and reactivity				
Reactivity				
No hazardous reaction whe	n handled and stored according to prov	isions.		
Chemical stability				
Stability:	Stable			
The product is stable under	storage at normal ambient temperature	S.		
Possibility of hazardous reaction	<u>s</u>			
Hazardous reactions:	Will not occur			
No known hazardous reacti	ons.			
Conditions to avoid				
	urfaces, sparks, open flames and other	ignition sources. No smoking.		
Incompatible materials				
No information available.				
Hazardous decomposition produ	<u>cts</u> ted: Carbon monoxide, Carbon dioxide	(CO2) Nitragan avidas (NOX)		
11. Toxicological information				
Route(s) of Entry				
oral, inhalative, Skin contac	t, Eye contact			
Information on toxicological effect	<u>:ts</u>			
Acute toxicity				
Based on available data, the ATEmix calculated:	e classification criteria are not met.			
oral: > 2000 mg/kg				

oral: > 2000 mg/kg dermal: > 2000 mg/kg Inhalation (vapour): >20 mg/l (4 h) Inhalation (dust/mist): > 5 mg/l (4h)

## ATEmix calculated

ATE (oral) 10175,0 mg/kg

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated				
		ATE 500 mg/kg			

Irritation and corrosivity

according to 29 CFR 1910.1200(g)

## MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 03/13/2023 Based on available data, the classification criteria are not met. Skin corrosion/irritation: Result / evaluation: Not an irritant. (Rabbit) Method: OECD 404 Test was carried out with a similar formulation. (By analogy) Serious eye damage/eye irritation: Result / evaluation: Not an irritant. (Rabbit) Method: OECD 405 Test was carried out with a similar formulation. (By analogy) Sensitizing effects Based on available data, the classification criteria are not met. May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)) Carcinogenic/mutagenic/toxic effects for reproduction Based on available data, the classification criteria are not met.

### Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

### Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Ferric oxide (CAS 1309-37-1) is listed in group 3. Carcinogenicity (IARC):

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on other hazards

### Endocrine disrupting properties

No information available.

### 12. Ecological information

#### **Ecotoxicity**

The product is not: Ecotoxic.

### Persistence and degradability

The product has not been tested.

### **Bioaccumulative potential**

The product has not been tested.

### Mobility in soil

The product has not been tested.

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## **Other adverse effects**

No information available.

# Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 13. Disposal considerations

### Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Page 6 of 9

according to 29 CFR 1910.1200(g)

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

## MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 03/13/2023

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# 14. Transport information

# U.S. DOT 49 CFR 172.101

Proper shipping name:

# Marine transport (IMDG)

UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group:

# Air transport (ICAO-TI/IATA-DGR) <u>UN number or ID number:</u>

UN proper shipping name: Transport hazard class(es): Packing group:

# Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

### Special precautions for user

No information available.

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No

not applicable

### 15. Regulatory information

### U.S. Regulations

### **National Inventory TSCA**

CAS No. 68186-94-7: Yes. CAS No. 68920-66-1: Yes. CAS No. 1317-65-3: Yes. Silica, amorpous: Yes. CAS No. 1309-37-1: Yes. 0801.B080147 2634-33-5: Yes. CAS No. 55965-84-9: Yes.

# National regulatory information

SARA Section 304 CERCLA: Manganese compounds (-): Reportable quantity = &
SARA Section 311/312 Hazards: Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1): Immediate (acute) health hazard
SARA Section 313 Toxic release inventory: Manganese compounds (-): De minimis limit = 1.0 %, Reportable threshold = Standard
Clean Air Act Section 112(b): Manganese compounds (-)

### State Regulations

### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

## 16. Other information

Page 7 of 9

according to 29 CFR 1910.1200(g)

## MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 03/13/2023 Page 8 of 9 Hazardous Materials Information Label (HMIS) \*1 Health: Flammability: 1 Physical Hazard: 0 **NFPA Hazard Ratings** Health: 1 Flammability: 1 Reactivity: 0 Unique Hazard: Changes Revision date: 03/13/2023 Revision No: 1.3 This data sheet contains changes from the previous version in section(s): 6,9,12,15. Abbreviations and acronyms ACGIH: American Conference of Governmental Industrial Hygienists CFR: Code of Federal Regulations DOT: Department of Transportation ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IARC: International Agency for Research on Cancer GHS: Globally Harmonized System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service NFPA: National Fire Protection Association NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: permissible exposure limit REL: recommended exposure limit SARA: Superfund Amendments and Reauthorization Act STEL: Short-term exposure limit **TSCA:** Toxic Substances Control Act TWA: time-weighted average **TI: Technical Instructions** DGR: Dangerous Goods Regulations **UN: United Nations** ATE: Acute toxicity estimate LC50: Lethal concentration. 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds

### Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

according to 29 CFR 1910.1200(g)

# MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 03/13/2023

Page 9 of 9

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)