according to 29 CFR 1910.1200(g)

MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 03/16/2023

1. Identification

Product identifier

MIXOL® Nr. 22 Oxyd-Tabak

Recommended use of the chemical and restrictions on use

e
(

Color, Pigment

Details of the supplier of the safety data sheet

Company name: Street:	MIXOL-PRODUKTE Diebold GmbH Carl-Zeiss-Str. 17-19	
Place:	D-73230 Kirchheim/Teck	
Telephone: e-mail: e-mail (Contact person): Internet: Responsible Department:	+49/(0)7021 / 950090 info@mixol.de Technik@mixol.de www.mixol.de Technik	Telefax: +49/(0)7021 / 56030
Emergency phone number:	Emergency CONTACT (24 h) GBK/Infotra 18005355053	ac ID 107633 (USA Domestic):

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

Label elements

Additional advice on labelling

GHS label elements, including precautionary statements: none/none

Hazards not otherwise classified

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

3. Composition/information on ingredients

Mixtures

Hazardous components

CAS No	Components	Quantity
68186-94-7	Manganese ferrite black spinel	18.13 %
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	6.661 %
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	4.306 %

4. First-aid measures

Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated

Page 1 of 8

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 03/16/2023

Page 2 of 8

clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

Reference to other sections

Safe handling: see section 7

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 03/16/2023

Page 3 of 8

Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapors/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Further information on handling

Handle and open container with care.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

8. Exposure controls/personal protection

Control parameters

Exposure limits

CAS No	Substance	ppm	mg/m³	f/cc	Category	Origin
1309-37-1	Iron oxide (Fe2O3) (respirable fraction)		5		TWA (8 h)	ACGIH-2022
1309-37-1	Iron oxide dust and fume (as Fe)	-	5		TWA (8 h)	REL
1309-37-1	Iron oxide fume	-	10		TWA (8 h)	PEL
7439-96-5	Manganese compounds (as Mn)	-	C 5		Ceiling	PEL
7439-96-5	Manganese compounds and fume (as Mn)	-	1		TWA (8 h)	REL
		-	3		STEL (15 min)	REL
-	Manganese inorganic compounds (inhalable fraction), as Mn		0.1		TWA (8 h)	ACGIH-2022
-	Manganese inorganic compounds (respirable fraction), as Mn		0.02		TWA (8 h)	ACGIH-2022
7631-86-9	Silica, amorphous	-	6		TWA (8 h)	REL

Exposure controls





according to 29 CFR 1910.1200(g)

MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 03/16/2023

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Liquid (Dispersion)	
Color:	brown	
Odor:	odorless	
Odour threshold:	not applicable	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		100 °C
boiling range:		
Flammability:		Non-flammable.
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 100 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		> 100 °C
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		miscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapor pressure:		not determined
Density (at 20 °C):		1,72 g/cm ³
Relative vapour density:		not determined
Particle characteristics:		not applicable
ther information		

Ot

Further Information

Page 4 of 8

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 03/16/2023

No information available.

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stability:

Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Will not occur

No known hazardous reactions.

Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible materials

Hazardous reactions:

No information available.

Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

11. Toxicological information

Route(s) of Entry

oral, inhalative, Skin contact, Eye contact

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg Inhalation (vapour): >20 mg/l (4 h) Inhalation (dust/mist): > 5 mg/l (4h)

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
68920-66-1	Alcohols, C16-18 and C18	3-unsatd., ethoxylated			
		ATE 500 mg/kg			

Irritation and corrosivity

Based on available data, the classification criteria are not met. Skin corrosion/irritation:

Result / evaluation: Not an irritant. (Rabbit) Method: OECD 404 Test was carried out with a similar formulation. (By analogy)

Serious eye damage/eye irritation: Result / evaluation: Not an irritant. (Rabbit) Method: OECD 405 Test was carried out with a similar formulation. (By analogy)

Sensitizing effects

Page 5 of 8

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 03/16/2023

Page 6 of 8

Based on available data, the classification criteria are not met.

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (IARC): Ferric oxide (CAS 1309-37-1) is listed in group 3.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Endocrine disrupting properties

No information available.

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information

U.S. DOT 49 CFR 1/2.101	
Proper shipping name:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
UN number or ID number:	No dangerous good in sense of this transport regulation.
UN proper shipping name:	No dangerous good in sense of this transport regulation.
<u>Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 03/16/2023		Page 7 of 8
Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>UN number or ID number:</u>	No dangerous good in sense of this transport regulation.	
UN proper shipping name:	No dangerous good in sense of this transport regulation.	
Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
Packing group:	No dangerous good in sense of this transport regulation.	
Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
Special precautions for user		
No information available.		
Transport in bulk according to Annex II of	MARPOL 73/78 and the IBC Code	
not applicable		
15. Regulatory information		

U.S. Regulations

National Inventory TSCA

CAS No. 68186-94-7: Yes. CAS No. 1317-65-3: Yes. CAS No. 68920-66-1: Yes. Silica, amorpous: Yes. CAS No. 1309-37-1: Yes. CAS No. 2634-33-5: Yes. CAS No. 55965-84-9: Yes.

National regulatory information

SARA Section 304 CERCLA: Manganese compounds (-): Reportable quantity = &
SARA Section 311/312 Hazards: Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1): Immediate (acute) health hazard
SARA Section 313 Toxic release inventory: Manganese compounds (-): De minimis limit = 1.0 %, Reportable threshold = Standard
Clean Air Act Section 112(b):

Manganese compounds (-), Manganese compounds (-)

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Hazardous Materials Information Lab Health:	oel (HMIS) *1
Flammability:	1
Physical Hazard:	0
NFPA Hazard Ratings	
Health:	1
Flammability:	1
Reactivity:	0
Unique Hazard:	
Changes	



according to 29 CFR 1910.1200(g)

MIXOL® Nr. 22 Oxyd-Tabak

ision date: 03/16/2023		Page 8 d
Revision date:	03/16/2023	
Revision No:	1,3	
This data sheet contains chan	ges from the previous version in section(s): 6,9,12,15.	
bbreviations and acronyms		
•	of Governmental Industrial Hygienists	
CFR: Code of Federal Regula		
DOT: Department of Transpor		
ICAO: International Civil Aviat		
IMDG: International Maritime		
IATA: International Air Transp	-	
IARC: International Agency fo		
	stem of Classification and Labelling of Chemicals	
CAS: Chemical Abstracts Ser		
NFPA: National Fire Protection	Association	
NTP: National Toxicology Pro	gram	
OSHA: Occupational Safety a	nd Health Administration	
PEL: permissible exposure lim	it	
REL: recommended exposure	limit	
SARA: Superfund Amendmen	ts and Reauthorization Act	
STEL: Short-term exposure lir	nit	
TSCA: Toxic Substances Con	rol Act	
TWA: time-weighted average		
TI: Technical Instructions		
DGR: Dangerous Goods Reg	lations	
UN: United Nations		
ATE: Acute toxicity estimate		
LC50: Lethal concentration, 50)%	
LD50: Lethal dose, 50%		
LL50: Lethal loading, 50%		
EL50: Effect loading, 50%		
EC50: Effective Concentration		
ErC50: Effective Concentratio		
NOEC: No Observed Effect C	oncentration	
BCF: Bio-concentration factor		
	ntion for the Prevention of Marine Pollution from Ships	
IBC: Intermediate Bulk Contai		
VOC: Volatile Organic Compo	unas	

I he information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)